# **Guy Water Works** 2014 Annual Drinking Water Quality Report

We're pleased to present to you this year's Annual Drinking Water Quality Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our goal is to provide you with a safe and dependable supply of drinking water, and we want you to understand, and be involved in, the efforts we make to continually improve the water treatment process and protect our water resources.

#### Where Does Our Drinking Water Come From?

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. We purchase treated surface water from Community Water System whose source is Greer's Ferry Lake. Community Water System also purchases water from Conway, whose source is treated surface water from Lake Brewer.

#### How Safe Is The Source Of Our Drinking Water?

The Arkansas Department of Health has completed a Source Water Vulnerability Assessment for Community Water System. The assessments summarize the potential for contamination of our sources of drinking water and can be used as a basis for developing source water protection plans. Based on the various criteria of the assessments, our water sources have been determined to have a low susceptibility to contamination. You may request summaries of the Source Water Vulnerability Assessments from our office.

## What Contaminants Can Be In Our Drinking Water?

As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include: <u>Microbial contaminants</u> such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; <u>Inorganic contaminants</u> such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming; <u>Pesticides and herbicides</u> which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses; <u>Organic chemical contaminants</u> including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems; <u>Radioactive contaminants</u> which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to assure tap water is safe to drink, EPA has regulations which limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

#### Am I at Risk?

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. However, some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from small amounts of contamination. These people should seek advice about drinking water from their health care providers. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791. In addition, EPA/CDC guidelines on appropriate means to lessen the risk of infection by microbiological contaminants are also available from the Safe Drinking Water Hotline.

#### What is Cryptosporidium?

*Cryptosporidium* is a microbial pathogen found in surface water throughout the U.S. It lives and reproduces only within the host. In the environment, *Cryptosporidium* exists as a thick walled oocyst, containing four organisms. Conway's monitoring in 2014 indicated no presence of these organisms in their emergency water source. It is important to know that although filtration removes *Cryptosporidium* may cause cryptosporidiosis, an abdominal infection. Symptoms of infection include nausea, diarrhea, and abdominal cramps. Most healthy individuals can overcome the disease within a few weeks. However, immuno-compromised people are at greater risk of developing life threatening illness. We encourage immuno-compromised individuals to consult their doctor regarding appropriate precautions to take to avoid infection. *Cryptosporidium* must be ingested to cause disease, and it may be spread through means other than drinking water.

## Lead and Drinking Water

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We are responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

## How Can I Learn More About Our Drinking Water?

If you have any questions about this report or concerning your water utility, please contact Greg Hooten, Water Superintendent, at 501-679-4585. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the second Monday of each month at 6:00 PM at Guy City Hall.

#### **TEST RESULTS**

We, Community Water System and Conway Water routinely monitor for constituents in your drinking water according to Federal and State laws. The test results table shows the results of our monitoring for the period of January 1<sup>st</sup> to December 31<sup>st</sup>, 2014. In the table you might find terms and abbreviations you are not familiar with. To help you better understand these terms we've provided the following definitions:

**Action Level** - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

**Maximum Contaminant Level (MCL)** - the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

**Maximum Contaminant Level Goal (MCLG)** – unenforceable public health goal; the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

**Maximum Residual Disinfectant Level (MRDL)** - the highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

**Maximum Residual Disinfectant Level Goal (MRDLG)** - the level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

**NA** – not applicable

**Nephelometric Turbidity Unit (NTU)** – a unit of measurement for the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

**Parts per billion (ppb)** - a unit of measurement for detected levels of contaminants in drinking water. One part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

**Parts per million (ppm)** – a unit of measurement for detected levels of contaminants in drinking water. One part per million corresponds to one minute in two years or a single penny in \$10,000.

		MICROB	IOLOGIC	CAL CONTAMINANT	S			
Contaminant	Violation Y/N	Level Detected	Unit	MCLG (Public Health Goal)	MCL (Allowable Lev	el)	Major Sources in Drinking Water	
Total Coliform Bacteria (Guy Waterworks)	Ν	None	Present	0	1 positive sampl month	e per	Naturally present in the environment	
			TUR	BIDITY				
Contaminant	Violation Y/N	Level Detected	Unit	<b>MCLG</b> (Public Health Goal)	MCL (Allowable Leve	el)	Major Sources in Drinking Water	
Turbidity (Community Water)	N	Highest yearly sample result: 0.80 Lowest monthly % of samples meeting the turbidity limit: 96.7%	NTU	NA	Any measureme excess of 1 N <sup>-</sup> constitutes a viol	TU	Soil runoff	
Turbidity (Conway Water)	N	Highest yearly sample result: 0.13 Lowest monthly % of samples meeting the turbidity limit: 100%	NTO		A value less than 95% of samples meeting the limit of 0.3 NTU, constitutes a violation			
<ul> <li>Turbidity is a n effectiveness of</li> </ul>		t of the cloudiness of w on systems.	ater. We	and Conway monit	or it because it is	a goo	indicator of the	
		INO	RGANIC	CONTAMINANTS				
Contaminant	Violation Y/N	Level Detected	Unit	<b>MCLG</b> (Public Health Goal)	MCL (Allowable Level)	Maj	or Sources in Drinking Water	
Nitrate [as Nitrogen] (Community Water)	Ν	0.38	200	10	10		f from fertilizer use; ng from septic tanks,	
Nitrate [as Nitrogen] (Conway Water)	Ν	Average: 0.70 Range: 0.69 - 0.71	ppm	10	10	sewag depos	ge; erosion of natural its	
Fluoride (Conway Water)	N	Average: 0.66 Range: 0.58 - 0.77	ppm	4	4	water promo discha	on of natural deposits; additive which otes strong teeth; arge from fertilizer and num factories	

		umber of Cite -		D AND COP		UNITOR.	1140				
Contaminant ove				Percentile Result	Unit	Actio	on Level	Ma	Major Sources in Drinking Water		
_ead Guy Waterworks)			0 0.		ppm		.015		Corrosion from household plumbing		
uy Waterworks)		0		<0.20			1.3		systems; erosion of natural deposits		
										and copper at th ring period is in	
2017.				TOTAL O	RGANIC CA	RBON					
removal requ	uirements ides a med		were m	et. Total org	janic carbon	(TOC) h	as no hea	th effe	cts. However		
	Vieletien	-		REGULATE	D DISINFE	CTANTS	MDDI				
		Level Dete	Level Detected		Unit MRDLG (Public Health Goal)		I) (Allowable Lev		· ·		
		Average: 0.39 Range: 0.2 - 0.6		ppm	4			mi	Water additive used to control microbes		
			PRODUC	CTS OF DRI	NKING WAT	ER DISI	NFECTION		MCLC	MCI	
Contamir	nant	Violation Y/N	Violation Y/N		Level Detected		Unit	(Public	<b>MCLG</b> c Health Goal)	MCL (Allowable Level	
HAA5 [Haloacetic Acids] (Guy Waterworks)		Ν		: Average: 3 22.3 - 58.8			ppb		0	60	
TTHM [Total Trihalomethanes] (Guy Waterworks)		s] N		t Average: 5 35.3 - <b>86.</b> 4			ppb		NA	80	
Chlorite Community)		N	Averag Range:	e: 344 27 - 616			ppb		800	1000	
hlorite Conway Water)		N	Averag	e: 293			- ppp				
		nd of the TTU		20 - 478		ah avul al h				a duink watau	
While only th containing Tr	rihalometh	nd of the TTHI nanes in exces ns, and may ha	M range is of the ave an i	exceeded MCL over ncreased ri	many years	may exp g cancer	perience p r.	nat som problem	ne people wh 1s with their	o drink water liver, kidneys, o	
<ul> <li>While only th containing Tr</li> </ul>	rihalometh ous system	nanes in exces	M range is of the ave an i	exceeded MCL over ncreased ri	many years isk of gettin FED CONTAI	may exp g cancer	perience p r. 5	oroblem	ns with their	o drink water liver, kidneys, o rinking Water	
While only th containing Tr central nervo Contamina Chloroform	rihalometh ous system	hanes in exces hs, and may ha Levels De 5.37	M range is of the ave an i l tected	exceeded MCL over ncreased ri JNREGULA Uni	many years isk of gettin FED CONTAL t (Public	may exp g cancer MINANTS MCLG c Health Go	perience p r. 5	oroblem	ns with their	liver, kidneys, o	
While only th containing Tr central nervo Contamina Contamina Community Water) Chloroform Conway Water)	rihalometh ous system ant	nanes in exces ns, and may ha Levels De	M range is of the ave an i l tected	exceeded MCL over ncreased ri JNREGULA	many years isk of gettin FED CONTAL t (Public	may exp g cancer MINANTS MCLG	perience p r. 5	oroblem	ns with their	liver, kidneys, o	
While only th containing Tr central nervo Contamina Chloroform Community Water) Chloroform Conway Water) Bromodichloromet Community Water)	rihalometh ous system ant thane	Levels De 5.37 8.66 1.81	M range s of the ave an i (tected	exceeded MCL over ncreased ri JNREGULA Uni ppt	many years isk of gettin FED CONTAI t (Public	may exp g cancer MINANTS MCLG c Health Go 70	perience p r. S Dal)	Major	s with their Sources in D	liver, kidneys, o	
While only the containing Tr central nervor Contamina Chloroform Community Water) Chloroform Conway Water) Bromodichloromet Community Water) Bromodichloromet Conway Water)	rihalometh ous system ant thane thane	Levels De 5.37 8.66	M range s of the ave an i (tected	exceeded MCL over ncreased ri JNREGULA Uni	many years isk of gettin FED CONTAI t (Public	may exp g cancer MINANTS MCLG c Health Go	perience p r. S Dal)	Major	s with their Sources in D	liver, kidneys, c rinking Water	
While only th containing Tr central nervo Contamina Chloroform (Conway Water) Bromodichloromet (Conway Water) Bromodichloromet (Conway Water) Dibromochloromet (Conway Water)	rihalometh ous system ant thane thane thane	Levels De           5.37           8.66           1.87           3.63           0.77	M range s of the ave an i (tected) 7 5 1 3 7	exceeded MCL over ncreased ri JNREGULA Uni ppt	many years isk of gettin FED CONTAI t (Public	may exp g cancer MINANTS MCLG c Health Go 70	perience p r. S Doal) By-p	Major	Sources in D	liver, kidneys, o	
While only the containing Tr central nervo Contamina Chloroform Community Water) Chloroform Conway Water) Bromodichloromet Conmunity Water) Dibromochloromet Conway Water) Dibromochloromet Conway Water) Strontium (UCMR: Community Water)	ant thane thane thane 3)	Levels De 5.37 8.66 1.81 3.61 0.77 Average: 31.7 Range: 30.8	M range s of the ave an i (tected) 7 5 1 3 7 3	exceeded MCL over ncreased ri JNREGULA Uni ppt ppt	many years isk of gettin FED CONTAI t (Public	may exp g cancer MINANTS MCLG c Health Go 70 0 60	By-p	Major Major oroducts mally-oc mercial	Sources in D of drinking w courring eleme use of strontiu	liver, kidneys, o rinking Water ater disinfection nt; historically, um has been in th	
While only the containing Tr central nervo Contamina Contamina Chloroform Conway Water) Bromodichloromet Conway Water) Dibromochloromet Conway Water) Dibromochloromet Conway Water) Dibromochloromet Conway Water) Strontium (UCMR: Community Water) Strontium (UCMR: Strontium (UCMR:     Strontium (USMR:     Strotium (USMR:     Strotium (USMR:     Strotium (USMR:     Strotium (U	ant thane thane thane 3)	Levels De 5.37 8.66 1.87 3.65 0.77 Average: 31.7	M range s of the ave an i tected 7 5 1 5 1 5 7 3 7 3 7 3 7 3 7 3 7 3 7 3 7 3	exceeded MCL over ncreased ri JNREGULA Uni ppt	many years isk of gettin FED CONTAI t (Public	may exp g cancer MINANTS MCLG c Health Go 70 0	berience p r. S Doal) By-p By-p d Natu com face	Major Major oroducts mercial plate gla	Sources in De of drinking w	liver, kidneys, o rinking Water ater disinfection nt; historically, um has been in th -ray tube	
While only the containing Tr central nervo Contamina Chloroform Conway Water) Chloroform Conway Water) Bromodichloromet Conway Water) Dibromochloromet Conway Water) Dibromochloromet Conway Water) Strontium (UCMR2 Conway Water) Strontium (UCMR3) Conway Water)	rihalomethous system ant thane thane 3) 3)	Levels De Levels De 5.37 8.66 1.87 3.67 Average: 31.7 Range: 30.8 Average: 25 Range: 23.4 Average: 35.7	M range s of the ave an i tected 7 5 1 3 - 31.8 - 31.8 - 26.4 1	exceeded MCL over ncreased ri JNREGULA Uni ppt ppt	many years isk of gettin FED CONTAI t (Public )	may exp g cancer g cancer MINANTS MCLG 70 70 0 60	perience p r. S Dal) By-p By-p d Rate com face telev	Major Major oroducts mercial plate gla visions t cultural	Sources in Da of drinking w courring eleme use of strontio ass of cathode o block x-ray defoliant or de	liver, kidneys, o rinking Water ater disinfection nt; historically, im has been in th -ray tube emissions esiccant;	
While only the containing Tree central nerver	thane thane 3)	Levels De Levels De 5.37 8.66 1.87 3.62 0.77 Average: 31.7 Range: 30.8 Average: 25 Range: 23.4 Average: 35.7 Range: 30.7 Average: 165	M range s of the ave an i tected 7 5 1 1 3 7 7 3 - 31.8 - 26.4 1 - 26.4 1 - 39.4	exceeded MCL over ncreased ri JNREGULA Uni ppt ppt	many years isk of gettin FED CONTAI t (Public )	may exp g cancer MINANTS MCLG c Health Go 70 0 60	erience p r. S Dal) By-p By-p d Ratu com face telev d disin	Major Major oroducts products plate gla visions t cultural fection	Sources in D Sources in D of drinking w curring eleme use of strontiu ass of cathode o block x-ray	liver, kidneys, o rinking Water ater disinfection nt; historically, im has been in th -ray tube emissions esiccant; d used in	
While only the containing Treentral nerver central nerver containing Treentral nerver containing Treentral nerver containing Treentral nerver containing the containing the containing water). Chloroform Conway Water) Conway Water) Conway Water) Conway Water) Conway Water) Conway Water) Contium (UCMR3) Conway Water) Chlorate (UCMR3) Conway Water) (VCMR3) (VCMR3) Conway Water) (VCMR3) (VCM	ant thane thane 3) 3)	Annessin excessAverage:3.620.77Average:31.7Range:30.8Average:31.7Range:30.8Average:31.7Range:30.7	M range s of the ave an i tected 7 5 1 5 - 3 3 - 31.8 - 31.8 - 39.4 - 39.4 5 196 6	exceeded MCL over ncreased ri JNREGULA Uni ppt ppt	many years isk of gettin FED CONTAN t (Public ) 0 0 0 0 0 0 0 0 0 0 0 0 0	may exp g cancer g cancer MINANTS MCLG 70 70 0 60	erience p r. S Dal) By-p By-p By-p R By-p R R R R R R R R R R R R R R R R R R R	Major Major products products plate gla visions t cultural fection uction c rally-oc dium p	Sources in D Sources in D of drinking w curring eleme use of strontiu ass of cathode o block x-ray defoliant or de byproduct; an of chlorine diop	liver, kidneys, o rinking Water ater disinfection nt; historically, um has been in th -ray tube emissions esiccant; d used in kide ntal metal; used a n is a chemical	
While only th containing Tr central nervo Contamina Chloroform Conmunity Water) Chloroform Conway Water) Bromodichloromet Conway Water) Dibromochloromet Conway Water) Dibromochloromet Conway Water) Strontium (UCMR:	thane thane 3) 3)	Annes in excessAverage:0.77Average:31.7Average:31.7Average:31.7Average:31.7Average:31.7Average:31.7Average:31.7Average:32.7Average:30.7Average:30.7Average:30.7Average:30.7Average:30.7Average:30.7Average:30.7Average:30.7Average:30.7Average:30.7Average:30.730.	M range s of the ave an i tected 7 5 1 3 - 31.8 - 26.4 1 - 39.4 5 196 6 - 0.73 6	exceeded MCL over ncreased ri JNREGULA Uni ppt ppt ppt	many years isk of gettin FED CONTAN t (Public ) 0 0 0 0 0 0 0 0 0 0 0 0 0	may exp g cancer g cancer g cancer MINANTS MCLG 70 70 0 60 letermine	perience p r. 5 5 5 5 5 5 5 5 6 6 6 7 8 8 9 7 8 8 9 7 8 9 8 9 9 9 9 9 9 9 9 9 9 9 9 9	major Major maily-oc mercial plate gla visions t cultural fection uction of mediate maily-oc	Sources in Da Sources in Da of drinking we courring eleme use of strontic ass of cathode o block x-ray of defoliant or de byproduct; an of chlorine diox courring eleme entoxide which and a catalys courring eleme	liver, kidneys, o rinking Water ater disinfection nt; historically, um has been in th -ray tube emissions esiccant; d used in kide ntal metal; used a h is a chemical st nt; used in makin	
While only the containing Treentral nerver central nerver central nerver central nerver containing Treentral nerver containing Treentral nerver containing the context of the context	rihalomethous system ant thane thane thane 3) 3) 3) 3) 3) 3) 4R3)	Average: 30.7 Average: 31.7 Range: 23.4 Average: 31.7 Range: 23.4 Average: 31.7 Range: 30.8 Average: 25 Range: 23.4 Average: 30.7 Average: 165 Range: 144 - Average: 0.55 Range: 0.45	M range s of the ave an i tected 7 5 1 3 - 31.8 - 39.4 1 - 39.4 5 196 6 - 0.73 6 - 0.32 2	exceeded MCL over ncreased ri JNREGULA Uni ppt ppt ppt	many years isk of gettin FED CONTAI t (Public ) 0 Unc	may exp g cancer g cancer g cancer MINANTS MCLG 70 70 0 60 letermine	erience p r. S bal) By-p By-p By-p Agric face telev ad Agric disin prod Agric disin prod Natu vana inter Natu vana inter Natu	Major Major oroducts oroducts oroducts disions t cultural fection uction c urally-oc dium pr mediate rally-oc dium pr mediate s are us	Sources in D Sources in D of drinking w curring eleme use of strontiu ass of cathode o block x-ray defoliant or de byproduct; an of chlorine diox curring eleme entoxide which and a catalys curring eleme her alloys; chr	liver, kidneys, c rinking Water ater disinfection nt; historically, im has been in th -ray tube emissions esiccant; d used in kide ntal metal; used in tal metal; used in tal metal; used in tal metal; used in tal metal; used in makin omium-3 or -6 e plating, dyes an	

 Onregulated contaminants are those for which EPA has not established drinking water standards. The purpose of unregulated contaminant monitoring is to assist EPA in determining the occurrence of unregulated contaminants in drinking water and whether future regulation is warranted. MCLs (Maximum Contaminant Levels) and MCLGs (Maximum Contaminant Level Goals) have not been established for all unregulated contaminants.

## This institution is an equal opportun ity provider and employer.